


平 垫 圈


JIS
B 1256 - 1998



単位：mm

| 種類 呼び径 | 小形丸・みがき丸 | | | | 小形丸 | | みがき丸 | |
|-----------|----------|------------|------|-----------|------|------------|------|------------|
| | d | | t | | D | | D | |
| | 基準寸法 | 許容差 | 基準寸法 | 許容差 | 基準寸法 | 許容差 | 基準寸法 | 許容差 |
| 1 | 1.1 | +0.15 0 | 0.3 | ±0.04 | 2.5 | 0 -0.25 | — | — |
| 1.2 | 1.3 | | 0.3 | | 2.8 | | | |
| (1.4) | 1.5 | | 0.3 | | 3 | | | |
| 1.6 | 1.7 | | 0.3 | | 3.8 | | | |
| *(1.7) | 1.8 | | 0.3 | | 3.8 | | | |
| 2 | 2.2 | 0.3 | 4.3 | 0 -0.3 | 5 | 0 -0.3 | | |
| (2.2) | 2.4 | 0.5 | 4.6 | | | | | |
| *(2.3) | 2.5 | 0.5 | 4.6 | | | | | |
| 2.5 | 2.7 | 0.5 | 5 | | | | | |
| *(2.6) | 2.8 | 0.5 | 5 | | | | | |
| 3 | 3.2 | +0.2 0 | 0.5 | ±0.05 | 6 | 0 -0.35 | 7 | 0 -0.35 |
| (3.5) | 3.7 | | 0.5 | | 7 | | | |
| 4 | 4.3 | | 0.8 | | 8 | | | |
| (4.5) | 4.8 | | 0.8 | | 9 | | | |
| 5 | 5.3 | | 1 | | 10 | | | |
| 6 | 6.4 | +0.25 0 | 1.6 | ±0.15 | 11.5 | 0 -0.4 | 12.5 | 0 -0.4 |
| 8 | 8.4 | 1.6 | 15.5 | | | | | |
| 10 | 10.5 | +0.3 0 | 2 | ±0.2 | 18 | 0 -0.5 | 21 | 0 -0.5 |
| 12 | 13 | | 2.5 | | 21 | | | |
| (14) | 15 | | 2.5 | | 24 | | | |
| 16 | 17 | +0.35 0 | 3 | ±0.3 | 28 | 0 -0.6 | 30 | 0 -0.6 |
| (18) | 19 | | 3 | | 30 | | | |
| 20 | 21 | | 3 | | 34 | | | |
| (22) | 23 | | 3 | | 37 | | | |
| 24 | 25 | | 4 | | 39 | | | |
| (27) | 28 | +0.4 0 | 4 | ±0.4 | 44 | 0 -0.8 | 50 | 0 -0.8 |
| 30 | 31 | | 4 | | 50 | | | |
| (33) | 34 | | 5 | | 56 | | | |
| 36 | 37 | +0.5 0 | 5 | ±0.5 | 60 | 0 -0.8 | 60 | 0 -0.8 |
| (39) | 40 | | 6 | | 66 | | | |
| 42 | 43 | | 7 | | 66 | | | |
| (45) | 46 | | 7 | | 78 | | | |
| 48 | 50 | | 8 | | 85 | | | |
| (52) | 54 | +0.5 0 | 8 | ±0.7 | 92 | 0 -1 | 98 | 0 -1 |
| 56 | 58 | | 9 | | 105 | | | |
| (60) | 62 | | 9 | | 110 | | | |
| 64 | 66 | | 9 | | 115 | | | |
| (68) | 70 | | 10 | | 120 | | | |
| 72 | 74 | +0.5 0 | 10 | ±1 | 125 | 0 -1.2 | 125 | 0 -1.2 |
| (76) | 78 | | 10 | | 135 | | | |
| 80 | 82 | | 12 | | 140 | | | |

並形，特大形一部品等級Cの形状



並形一部品等級Cの寸法

単位：mm

| 呼び径(寸) | 内径 d_1 | | 外径 d_2 | | 厚さ h | | |
|--------|--------------|-------|--------------|------|--------|-----|-----|
| | 基準寸法 (最小) | 最大 | 基準寸法 (最大) | 最小 | 基準寸法 | 最大 | 最小 |
| 5 | 5.5 | 5.8 | 10 | 9.1 | 1 | 1.2 | 0.8 |
| 6 | 6.6 | 6.96 | 12 | 10.9 | 1.6 | 1.9 | 1.3 |
| 8 | 9 | 9.36 | 16 | 14.9 | 1.6 | 1.9 | 1.3 |
| 10 | 11 | 11.43 | 20 | 18.7 | 2 | 2.3 | 1.7 |
| 12 | 13.5 | 13.93 | 24 | 22.7 | 2.5 | 2.8 | 2.2 |
| 14 | 15.5 | 15.93 | 28 | 26.7 | 2.5 | 2.8 | 2.2 |
| 16 | 17.5 | 17.93 | 30 | 28.7 | 3 | 3.6 | 2.4 |
| 20 | 22 | 22.52 | 37 | 35.4 | 3 | 3.6 | 2.4 |
| 24 | 26 | 26.52 | 44 | 42.4 | 4 | 4.6 | 3.4 |
| 30 | 33 | 33.62 | 56 | 54.1 | 4 | 4.6 | 3.4 |
| 36 | 39 | 40 | 66 | 64.1 | 5 | 6 | 4 |

特大形一部品等級Cの寸法

単位：mm

| 呼び径(寸) | 内径 d_1 | | 外径 d_2 | | 厚さ h | | |
|--------|--------------|-------|--------------|-------|--------|-----|-----|
| | 基準寸法 (最小) | 最大 | 基準寸法 (最大) | 最小 | 基準寸法 | 最大 | 最小 |
| 5 | 5.5 | 5.8 | 18 | 16.9 | 2 | 2.3 | 1.7 |
| 6 | 6.6 | 6.96 | 22 | 20.7 | 2 | 2.3 | 1.7 |
| 8 | 9 | 9.36 | 28 | 26.7 | 3 | 3.6 | 2.4 |
| 10 | 11 | 11.43 | 34 | 32.4 | 3 | 3.6 | 2.4 |
| 12 | 13.5 | 13.93 | 44 | 42.4 | 4 | 4.6 | 3.4 |
| 14 | 15.5 | 15.93 | 50 | 48.4 | 4 | 4.6 | 3.4 |
| 16 | 17.5 | 18.2 | 56 | 54.1 | 5 | 6 | 4 |
| 20 | 22 | 22.84 | 72 | 70.1 | 6 | 7 | 5 |
| 24 | 26 | 26.84 | 85 | 82.8 | 6 | 7 | 5 |
| 30 | 33 | 34 | 105 | 102.8 | 6 | 7 | 5 |
| 36 | 39 | 40 | 125 | 122.5 | 8 | 9.2 | 6.8 |